

 PORSCHE Technical Data	Taycan	Taycan with Performance Battery Plus (J9K)	Taycan 4S	Taycan 4S with Performance Battery Plus (J9K)	Taycan Turbo	Taycan Turbo S
MY21 MSRP	\$79,900	\$85,680	\$103,800	\$109,370	\$150,900	\$185,000
Motor						
Drivetrain	Rear Motor, Rear Wheel Drive		Dual Motor, E- All Wheel Drive with Porsche Traction Management			
Motor type, front and rear	Permanent Magnet Synchronous Motor (PSM)					
Total maximum power kW (hp)	240, 300 with launch control (321, 402 with launch control)	280, 350 with launch control (375, 469 with launch control)	320, 390 with launch control (429, 522 with launch control)	360, 420 with launch control (482, 562 with launch control)	460, 500 with launch control (616, 670 with launch control)	460, 560 with launch control (616, 750 with launch control)
Total maximum torque (lb.-ft.)	250, 254 with launch control	250, 263 with launch control	472	479	626	774
Power to weight ratio (lbs/hp)	11.4	10.1	9.1	8.8	7.6	6.8
Batteries						
Cell type	Lithium Ion Pouch configuration					
Pack specification, maximum	613 volts / 129 Ah / 79.2 kWh	723 volts / 129 Ah / 93.4 kWh	613 volts / 129 Ah / 79.2 kWh	723 volts / 129 Ah / 93.4 kWh		
Pack configuration	12 cells per module / 28 modules / 336 cells (168s2p)	12 cells per module / 33 modules / 396 total cells (198s2p)	12 cells per module / 28 modules / 336 cells (168s2p)	12 cells per module / 33 modules / 396 total cells (198s2p)		
Pack weight (lbs)	1,221	1,389	1,221	1,389		
Chassis & Suspension						
Front axle	Aluminum double-wishbone, PASM		Aluminum double-wishbone, PASM with adaptive air suspension			
Rear axle	Aluminum multi-link axle with subframe, PASM		Aluminum multi-link axle with subframe, PASM with adaptive air suspension			
Steering system	Electromechanical					
Steering ratio	Variable					
Turning circle (ft)	38.4 ft (36.7 ft with rear-axle steering)					36.7 ft rear-axle steering std
Brakes & Wheels						
Caliper type	Fixed Aluminum Monoblock			Porsche Surface Coated Brakes (PSCB)	Porsche Ceramic Composite Brakes (PCCB)	
Rotor construction	Steel, internally vented			Steel with Tungsten Carbide Coating, internally vented	Ceramic Composite, internally vented	
Caliper color	Black		Red		White	Yellow
Number of pistons (front/rear)	6/4		6/4		6/4	10/4
Rotor diameter (front/rear) mm	360/358		360/358		410/365	420/410
Rotor thickness (front/rear) mm	36/28		36/28		38/28	40/32
Maximum Regenerative Braking Force	265 kW					
Wheel size and design	19" Taycan Aero Wheels		19" Taycan S Aero Wheels		20" Taycan Turbo Aero Wheels	21" Mission-E Design Wheels
Wheels: front/rear	(F) 8.0 X 19 ET 50 (R) 10.0 X 19 ET 47		(F) 8.0 X 19 ET 50 (R) 10.0 X 19 ET 47		(F) 9.0 X 20 ET 54 (R) 11.0 X 20 ET 60	(F) 9.5 X 21 ET 60 (R) 11.5 X 21 ET 66
Tires: front/rear	(F) 225/55R19 (R) 275/45R19		(F) 225/55R19 (R) 275/45R19		(F) 245/45R20 (R) 285/40R20	(F) 265/35R21 (R) 305/30R21
Standard tire type	Summer tires	Summer tires	Summer tires	Summer tires	Summer tires	Summer tires
Transmission						
Transmission type	Two-speed dog-ring rear		Single-speed front / Two-speed dog-ring rear			
Dimensions, Aerodynamics, & Weight						
Length (inches)	195.4	195.4	195.4	195.4	195.4	195.4
Wheelbase (inches)	114.2	114.2	114.2	114.2	114.2	114.2
Width w/mirrors (inches)	84.4	84.4	84.4	84.4	84.4	84.4
Width (inches)	77.4	77.4	77.4	77.4	77.4	77.4
Height (inches)	54.9	54.9	54.3	54.3	54.4	54.3
Track width front (inches)	67.3	67.3	67.3	67.3	67.0	66.5
Track width rear (inches)	66.7	66.7	66.7	66.7	65.6	65.2
Drag coefficient (Cd)	0.24		0.22		0.25	
Approach/Departure angle (degrees)	12.1/15.2		11.2/14.3		11.2/14.8	11.0/14.1
Rampover angle (degrees)	11.7		10.5		10.6	10.5
Cargo area volume (cu.-ft.) front	2.8 cubic feet					
Cargo area volume (cu.-ft.) rear	14.3 cubic feet			12.9 cubic feet		
Curb weight (lbs)	4,566	4,742	4,771	4,947	5,119	5,101
Gross Vehicle Weight (lbs)	6,162	6,162	6,349	6,349	6,349	6,327
Payload, maximum (lbs)	1,596	1,420	1,578	1,402	1,230	1,226
Performance						
Top track speed (mph)	143	143	155	155	161	161
Acceleration 0-60 mph, w/Launch Control (sec)	5.1	5.1	3.8	3.8	3.0	2.6
Acceleration 1/4 mile, w/Launch Control (sec)	13.7	13.5	12.3	12.2	11.1	10.8
Charge Time, 5% -80% SoC @ 9.6 kW (hrs)	9.5	10.5	9.5	10.5	10.5	10.5
Charge Time, 5% -80% SoC @ 50 kW (min)	93.0	93.0	93.0	93.0	93.0	93.0
Charge Time, 5% -80% SoC @ 225 kW (min)	22.5	N/A	22.5	N/A	N/A	N/A
Charge Time, 5% -80% SoC @ 270 kW (min)	N/A	22.5	N/A	22.5	22.5	22.5
Fuel Economy/Rating*						
MPGe (combined, city/hwy)	TBD	TBD	79	77	73	70
Range (miles)	TBD	TBD	199	227	212	201

*US EPA estimates. Actual mileage will vary.

Pricing, specifications, technical data, performance statistics, and the availability of particular vehicles and options are subject to change without notice. Prices listed in this document are manufacturer's suggested retail base prices, excluding options, destination charges, taxes, title, registration, and all other dealer charges. Actual prices are always set by authorized dealers.