TECHNICAL DATA MY \$ 02/2024

# Taycan 4S Sport Turismo

#### Consumption, emissions, range (WLTP)

Electric energy consumption combined	21.6 – 18.5 kWh/100 km
CO <sub>2</sub> emissions combined	0 g/km
CO <sub>2</sub> class	А
Electric range combined	449 – 534 km
Electric range, city	512 – 606 km

## **Drive system**

Battery	High-voltage battery with 800 V rated voltage;
	energy content (gross): 89 kWh; energy content (net): 82.3 kWh
Electric motor, front axle	Permanent magnet synchronous motor
Electric motor, rear axle	Permanent magnet synchronous motor
Transmission, front axle	Single-speed transmission
Transmission, rear axle	Two-speed transmission
Drive system	All-wheel drive with electronically controlled Porsche Traction Management (PTM)
Power output 1)	Up to 340 kW (462 PS)
Overboost power with Launch Control 1)	Up to 400 kW (544 PS)
Maximum torque with Launch Control	695 Nm

#### Chassis

Suspension and damping	Adaptive two-chamber air suspension with self-levelling system and height adjustment; Porsche Active Suspension Management (PASM): electronically controlled damping system with two-valve dampers, continuous damper control and three manually selectable modes
Front axle	Aluminium double-wishbone front axle
Rear axle	Aluminium multi-link suspension
Steering	Electromechanical Power Steering Plus
Steering ratio	15.1:1 (on-centre)
Turning circle diameter	11.7 m
Vehicle stability system	Porsche Stability Management (PSM) with ABS and extended brake functions

<sup>1)</sup> Details on the measurement procedure at www.porsche.com/gtr21

## Taycan 4S Sport Turismo

#### **Brakes**

Brake system	Porsche Recuperation Management;
	six-piston aluminium monobloc fixed-calliper brakes at the front;
	four-piston aluminium monobloc fixed-calliper brakes at the rear;
	electric parking brake, automatic hold function; multi-collision brake
Brake discs, front axle	Grey cast-iron brake discs, internally ventilated
Diameter	360 mm
Thickness	36 mm
Brake discs, rear axle	Grey cast-iron brake discs, internally ventilated
Diameter	358 mm
Thickness	28 mm

#### Wheels and tyres

Front wheels and tyres	8.0 J x 19 ET 50 with 225/55 R 19 tyres
Rear wheels and tyres	10.0 J x 19 ET 47 with 275/45 R 19 tyres

#### **Dimensions**

Length	4,963 mm
Width (including exterior mirrors)	1,966 mm (2,144 mm)
Height	1,390 mm
Wheelbase	2,900 mm
Front track width	1,710 mm
Rear track width	1,693 mm

## Luggage compartment volume and weights

Luggage compartment volume (rear/front)	446 – 1,212  /84
Unladen weight (DIN)	2,195 kg
Permissible gross weight	2,875 kg
Permissible roof load (with Porsche roof transport system)	75 kg

## Taycan 4S Sport Turismo

Top speed	250 km/h
Acceleration (with Launch Control)	
0 – 60 mph	3.5 s
0 – 100 km/h	3.7 s
0 – 160 km/h	8.2 s
0 – 200 km/h	12.7 s

#### Charging

Maximum charging capacity (DC)	Up to 270 kW
Charging time for direct current (DC, 800 V) with maximum charging capacity from 10 to up to 80 per cent under optimal conditions <sup>2)</sup>	18 min
Recharged range (WLTP) in 10 mins at maximum charging power (800 V) under optimal conditions <sup>3)</sup>	246 km
Charging time for direct current (DC, 400 V) with max. 135 kW charging capacity from 10 to up to 80 per cent	33 min
Recharged range (WLTP) in 10 mins at maximum charging power (400 V)	99 km
Charger (on-board charger)	11 kW
Charging time with alternating current (AC) at 11 kW from 0 to up to 100 per cent	9 hrs

### **Aerodynamics**

Drag coefficient (c <sub>d</sub> )	0.25
Frontal area A	2.33 m²
c <sub>d</sub> x A	0.583 m²

<sup>2)</sup> Optimal conditions: CCS fast-charging station of > 320 kW, > 850 V, battery temperature 23 °C and initial state of charge of nine per cent

<sup>&</sup>lt;sup>3)</sup> Optimal conditions: CCS fast-charging station with > 320 kW, > 850 V, battery temperature 23 °C and remaining range <30 km