TECHNICAL DATA MY S 03/2024

# Panamera

#### Fuel and emissions (WLTP)

Fuel consumption combined	10,5 – 9,7 l/100 km
CO <sub>2</sub> emissions combined	239 – 219 g/km
CO <sub>2</sub> class	G
Emissions standard	EU6 EA
Fuel type	Super Plus (98 RON)
Fuel tank capacity (optional)	75 (90 1)

#### **Engine**

Туре	V6, twin-turbo; with petrol particulate filter
Number of cylinders	6
Valves per cylinder	4
Displacement	2,894 cm³
Bore	84.5 mm
Stroke	86.0 mm
Maximum power	260 kW (353 PS)
at engine speed	5,400 – 6,700 1/min
Maximum torque	500 Nm
at engine speed	1,900 – 4,800 1/min
Specific output	89 kW/l (121 PS/l)
Compression ratio	10.5:1
Maximum engine speed	6,800 1/min
Cooling system	Water cooling; thermal management with
	control thermostat and shrouded water pump
Valve control	VarioCam Plus: camshaft control on the intake and exhaust sides;
	variable valve lift on the intake side

TECHNICAL DATA MY S 03/2024

# Panamera

#### **Power transmission**

Drive system	Rear-wheel drive	
Gearbox	Eight-speed Porsche Doppelkupplung (PDK)	
Gear ratios		
1 <sup>st</sup> gear	5.97	
2 <sup>nd</sup> gear	3.22	
3 <sup>rd</sup> gear	2.08	
4 <sup>th</sup> gear	1.42	
5 <sup>th</sup> gear	1.05	
6 <sup>th</sup> gear	0.84	
7 <sup>th</sup> gear	0.68	
8 <sup>th</sup> gear	0.53	
Reverse gear	5.32	
Rear-axle gear ratio	3.36	

#### Chassis

Suspension and damping	Adaptive two-chamber air suspension with height adjustment;
	Porsche Active Suspension Management (PASM): electronically controlled damping
	system with two-valve dampers,
	continuous damper control and three manually selectable control maps
Front axle	Aluminium double-wishbone front axle
Rear axle	Aluminium multi-link suspension
Steering	Electromechanical Power Steering Plus
Steering ratio	15.4:1 (on-centre)
Turning circle diameter	11.9 m
Vehicle stability system	Porsche Stability Management (PSM)
	with ABS and extended brake functionalities

## Panamera

_	_		
o	 ı	_	_

Brake system	Hydraulic dual-circuit brake system with front axle/rear axle split; electric brake booster electric duo-servo parking brake (EPB); auto hold function; multi-collision brake	
Front brakes	Six-piston aluminium monobloc fixed-calliper brakes; grey cast-iron discs, internally vented and grooved	
Diameter	360 mm	
Thickness	36 mm	
Rear brakes	Four-piston aluminium monobloc fixed-calliper brakes; grey cast-iron discs, internally vented and grooved	
Diameter	330 mm	
Thickness	28 mm	

#### Wheels and tyres

Front wheels and tyres	9 J x 19 ET 64 with 265/45 ZR 19 tyres
Rear wheels and tyres	10.5 J x 19 ET 62 with 295/40 ZR 19 tyres

#### **Dimensions**

Length	5,052 mm
Width (including exterior mirrors)	1,937 mm (2,165 mm)
Height	1,423 mm
Wheelbase	2,950 mm
Front track width	1,680 mm
Rear track width	1,651 mm

### Luggage compartment volume and weights

Luggage compartment volume	494 – 1,328 I
Unladen weight (DIN)	1,885 kg
Permissible gross weight	2,505 kg
Permissible trailer load (braked/ unbraked)	2,200/750 kg
Maximum towball load	100 kg
Permissible roof load (with Porsche roof transport system)	75 kg

# Panamera

#### Performance

Top speed	272 km/h
Acceleration	
0 – 60 mph	5.0 s
0 – 60 mph with Launch Control	4.8 s
0 – 100 km/h	5.3 s
0 – 100 km/h with Launch Control	5.1 s
0 – 160 km/h	12.4 s
0 – 160 km/h with Launch Control	12.1 s
0 – 200 km/h	20.1 s
0 – 200 km/h with Launch Control	19.8 s

#### Aerodynamics

Drag coefficient (c <sub>d</sub> )	0.28
Frontal area A	2.40 m²
c <sub>d</sub> x A	0.672 m <sup>2</sup>