



The diagram consists of a grid of 6 rows and 100 columns. The top five rows are entirely filled with black cells. The bottom row has the first 50 cells filled with black cells, and the remaining 50 cells are white.

[illegible][illegible]

[illegible]

xx

xx ISO 14001 xxxxxxxxxxxxxxxxxxxxxx-xxx
xxxxxx EMAS xxxxxxxxxxxxxxxxxxxxxx-xx
xxxxx ISO 50001 xxx
xxxxxxxxxxxxxxxx 2015 xxxxxxxxxxxxxxxxxxx 300 xxxxxxxxx

xxxxx
xx
xx
xx
xxxxxxxxxxxxxxxxxxxxxxxx-xxxxxxxxxxxxxxxxxxxxxxxx 40 xxxxxxxxx

xxxxxx
xx
xxxxxxxxxxxxxxxxxxxxxxxx

xx
xx
xx

xx

xxxxxxx
xx
xxxxxxxxxxxxxxxxxxxxxxxx 2014 xxx 16% xxxxxxxxxxxxxxxxxxx
xxxxxxxxxxxxxxxxxxxxxxxx

xx
xx
xx

xx
xx

xxxxxxx
xx
xx

xx HGV xxxxxxxxxxxxxxxxxxx HGV xxxxx
HGVxxxxxxxx HGV xxxxxxx 600 x 800 xxxxxxxxxxxxxxxxxxx

xxxxx-xx 3,500 xxxxxxxxxxxxxxxxxxxxxxxxxxx 10% xx

LHV 6 7
8 HGV 2,000
2018

25% 30%
60% 100% 4,800

2021

25
53
0 100% 44%
2030 100%
DGNB

2021 Naturnahes Firmengelände 2,000

560 50%
2015 481 45%

2020

[illegible]

MEDIA ENQUIRIES

Vice President Public Relations and Press
+86 21 6156 5890
jojo.tang@porsche.cn

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Porscheplatz 1
70435 Stuttgart