



High variability and extensive equipment

24/04/2024 High variability and extensive equipment

The new Macan is also characterised by high everyday practicality, high-quality equipment and family-friendly spaciousness. Electrification has significantly increased the variability of Porsche's B-segment SUV. The luggage compartment volume of the 4,784 mm long, 1,938 mm wide and 1,622 mm high Macan (1,621 mm high for the Turbo) can be increased to up to 540 litres (Macan 4) or even 1,348 l with the rear seat bench folded down. Luggage space is also available under the bonnet: at 84 l, the frunk offers sufficient volume for small luggage or, for example, the charging equipment. The frunk can be opened with a convenient hand gesture. The automatic tailgate can be opened and closed with a foot gesture.

The Macan can also be optionally equipped with an electrically unlocking towbar system. Thanks to the maximum towing capacity of 2,000 kg and a towbar load of up to 80 kg, depending on the market, bigger towing jobs or installing a bicycle rack are no problem.

Sporty seating position and (new in the Macan) seat massage

The driver and front passenger sit up to 28 mm lower in the all-electric Macan compared to the previous model. Heated eight-way comfort seats are fitted as standard in the Macan 4, while adaptive 18-way sports seats and 14-way comfort seats are available for the Macan Turbo. Seat ventilation and a massage function are available as options. There is more standard storage space and there are more storage options in the first row of seats than before, plus two USB-C quick-charging ports in the storage compartment in the centre console and a 12-volt plug socket. A cooled smartphone tray enables wireless charging with 15 watts of charging power. In the rear of the Macan, passengers can sit comfortably on the 40:20:40 split rear bench seat, with optional seat heating. The rear-seat position, which is 15 mm lower than in the predecessor model, also offers people above 1.80 m tall sufficient headroom when sitting in the rear seats. The significantly increased wheelbase of 2,893 mm offers greater legroom for rear passengers. Two USB-C fast charging ports are also available in the rear.

New air-quality system protects health

The new air-quality system in the Macan offers occupants protection against particulate matter and pollutants from the air outside the car. The proven cabin air filter and GPS recirculation function are fitted as standard. The latter recognises tunnel entrances based on predictive navigation data and activates the recirculation function automatically ahead of time. This prevents odours and exhaust fumes from reaching the passenger compartment in the first place.

The sensor of the optional air quality system continuously measures the PM2.5 particulate matter pollution in the outside air and vehicle interior and displays the values in the PCM. The automatic recirculation mode, which is activated when limit values are exceeded, and the multiple recirculation runs through the fine dust filter clean the interior air and keep out polluted outdoor air. The ioniser removes many germs and pollutants from the air in the automatic climate control before it flows into the vehicle's interior. Allergy sufferers in particular benefit from the significantly more pleasant interior climate and improved air quality.

Surround Sound with up to 1,470 watts

In addition to the Sound Package Plus with 10 speakers and 150 watts of total power as standard in the Macan 4, the now even more powerful sound systems from BOSE® and Burmester® ensure a first-class sound experience. With 14 speakers including a separate subwoofer, 14 amplifier channels and a total output of 710 watts, the BOSE® Surround Sound System offers powerful and dynamic sound in every seat. The Macan Turbo comes with the BOSE® system as standard. Thanks to the subwoofer installed under the load compartment floor, the luggage compartment capacity of the top model is between 480 and 1,288 l. The Burmester® 3D High-End Surround Sound System has 21 speakers with a two-way centre system and a 400-watt active subwoofer. The system delivers a total output of

1,470 watts. In addition to the familiar 'Symmetrical' listening position, the Burmester® sound system also features the new driver-orientated 'Driver' configuration. This increases both the bass precision and the naturalness of voice and instrument playback for the driver. For the BOSE® and Burmester® systems, there is also the new Eco-Mode sound setting, in which the rear speakers and the subwoofer are not included in the playback. Depending on the volume and style of music, this can save energy.

MEDIA ENQUIRIES



Ben Weinberger

Spokesperson Cayenne und Macan
+49 (0) 170 / 911 2097
ben.weinberger@porsche.de

Consumption data

Macan Electric Models

Fuel consumption / Emissions

WLTP*

Electric power consumption* combined (WLTP) 21.1 – 17.9 kWh/100 km

CO emissions* combined (WLTP) 0 g/km

CO2 class A Class

Macan Turbo Electric

Fuel consumption / Emissions

WLTP*

Electric power consumption* combined (WLTP) 20.7 – 18.8 kWh/100 km

CO emissions* combined (WLTP) 0 g/km

CO2 class A Class

Macan 4 Electric

Fuel consumption / Emissions

WLTP*

Electric power consumption* combined (WLTP) 21.1 – 17.9 kWh/100 km

CO emissions* combined (WLTP) 0 g/km

CO2 class A Class

*Further information on the official fuel consumption and the official specific CO emissions of new passenger cars can be found in the "Leitfaden über den Kraftstoffverbrauch, die CO-Emissionen und den Stromverbrauch neuer Personenkraftwagen" (Fuel Consumption, COEmissions and Electricity Consumption Guide for New Passenger Cars), which is available free of charge at all sales outlets and from DAT (Deutsche Automobil Treuhand GmbH, Helmuth-Hirth-Str. 1, 73760 Ostfildern-Scharnhausen, www.dat.de).

Link Collection

Link to this article

<https://newsroom.porsche.com/en/press-kits/Der-neue-Macan-4-und-Macan-Turbo/Alltagstauglichkeit-und-Komfort.html>

Media Package

<https://pmdb.porsche.de/newsroomzips/958146ee-a45e-48d4-963b-76abb5838f1.zip>