

Porsche Motorsport Weekly Event Notes: Monday, August 12, 2019

12/08/2019 Three Porsche Race Cars Make Track Time Real for Enthusiasts. Porsche Celebrates 20 Years of the 911 GT3.

Porsche Profile. Event Story Lines. Clubsport Entry. Three Porsche Race Cars Make Track Time Real for Enthusiasts.

Porsche Motorsport North America (PMNA) offers customers something they cannot get anywhere else: a floor-to-ceiling motorsport career. Known as the Porsche Motorsport Pyramid, the German marque offers a path, and race car platform, to move from novice enthusiast to professional driver within the Porsche family motorsport products. At the foundation of the structured pathway is a trio of track cars directly derived from Porsche road cars. Known as Clubsport models, the Porsche 911 GT2 RS Clubsport, its dramatic retro platform mate the 935-19 and the 718 Cayman GT4 Clubsport offer drivers a car in which to grow from track day lapping to full IMSA and SRO America competition.

Each Clubsport model begins life as a road car. The Porsche 911 GT2 RS Clubsport and 935 are based on the latest 700 horsepower 911 GT2 RS while the 718 Cayman GT4 Clubsport begins life as a 718 Cayman GT4. Porsche Motorsport pulls the cars from the regular assembly line and redirects them to Weissach, Germany where they are fitted with a variety of performance and safety features depending on their ultimate series destination. The cars are ordered through PMNA for the United States and Canada markets where they can be maintained for lapping days or full-on racing by a variety of professional race teams and performance and race car preparation shops. Because of the direct road car roots, even official Porsche Dealer Partners can work on the three non-streetable machines.

The Clubsport line provides multiple benefits for the enthusiast looking to enjoy the satisfaction of piloting a high performance sports car in the controlled environment of a closed circuit. Whether a driver wants to experience the raw power of the 700 horsepower 911 GT2 RS Clubsport on solo laps at a track day, a Porsche Club of America event or take it racing in the Porsche Trophy West USA and SRO GT World Challenge America series in 2020, PMNA offers the tools to satisfy the need for speed, begin a racing career or fulfill a dream.

One of the greatest benefits of the Porsche Clubsport model line is the relatively low run costs. Unlike the thoroughbred race cars higher up the Porsche Motorsport Pyramid, the Clubsport cars have road-based components allowing longer run times – racing hours – between engine rebuilds, more readily available parts and broader maintenance schedules than the customer-based Porsche race cars. This lowers the barriers of entry and participation that many racing programs present to drivers.

Porsche has one of the most encompassing motorsport programs in the world today. At the sharp-end of the Porsche Motorsport Pyramid is the factory-prepared and entered 911 RSR. The purebred race

car contests in the all-professional ranks of the IMSA WeatherTech SportsCar Championship and FIA World Endurance Championship (WEC). The 911 GT3 R is the Porsche model of choice for the Pro-Am ranks of the GT3-spec race series of the world including the WeatherTech GTD class and SRO GT World Challenge America. The Porsche 911 GT3 Cup car contests amateur and one-make series around the globe including the IMSA Porsche GT3 Cup Challenge USA and Canada by Yokohama series. At the base of the Porsche Motorsport Pyramid is the Clubsport line of machines.

GT3 Dub. Porsche Celebrates 20 Years of the 911 GT3.

20 years ago, Porsche introduced a new 911 model, the 911 GT3. Named after a class of endurance racing cars, the motorsport-derived variant focused on track performance and a particularly visceral driving experience by offering motorsport technology for the road. The high-revving naturally-aspirated flat six engine closely related to the engine used in racing, rear-wheel drive, lightweight construction, upgraded aerodynamics and track-focused suspension and brake systems have been defining characteristics of this model throughout its 20-year history.

The first 911 GT3 model was introduced to the European market in 1999 and brought to North America in 2004. It was one of the first production cars to officially lap the legendary Nürburgring-Nordschleife in less than eight-minutes when rally legend Walter Röhrl lapped the famous track in seven-minutes, 56.33-seconds. The car distinguished itself from rear-wheel drive 911 Carrera models visually with a 30-mm (1.18-inch) reduction in ride height, pronounced front fascia, visible side skirts and a fixed rear wing. All of the features were designed to reduce lift while delivering a very efficient 0.30 drag coefficient. The angle of attack of the rear wing is adjustable for use on race tracks.

The original 911 GT3 was powered by a 3.6 liter naturally-aspirated flat six engine derived from the 24 Hours of Le Mans-winning Porsche 911 GT1 race car and revved to 7,800 rpm. Mated exclusively to a six-speed manual transmission carried over from the 911 GT2 (993 generation), the first 911 GT3 reached a top track speed of 187 miles per hour. The track-focused model also featured staggered 18-inch wheels and tires, larger brakes compared to the 911 Carrera, a standard limited slip differential, and an upgraded suspension that allowed for greater mechanical adjustment of anti-roll bars and suspension geometry for closed-course track setup. Taking advantage of weight savings measures such as the deletion of air-conditioning and rear seats, the 911 GT3 weighed just 2,976 lbs. (1350 kg).

Four years later, the 911 GT3 received significant updates, and was offered in North America for the first time. Based on the face lifted type 996 generation 911, horsepower grew to 381, torque rose from 273 to 285 lb-ft, and the redline climbed to 8,200 rpm. This was possible by updating the engine with longer titanium connecting rods, lighter pistons, the variable camshaft adjustment system VarioCam, and lighter intake and exhaust valves. As a result, the 2004 model year 911 GT3 accelerated from 0 to 60 mph in 4.3 seconds, and achieved a top track speed of 190 mph. The car remained paired to a six-speed manual transmission, albeit with modified ratios for gears five and six. In addition to restyled fasciae, a new rear wing and updated wheel design, this model featured wider front and rear tires. Underscoring the effort of the Porsche Motorsport department to save weight wherever possible, the new wheel/tire combination saved 2.2 lbs in spite of the increase in size thanks to flow-formed wheel technology. Larger front brake rotors, up from 330 mm to 350 mm, and 6-piston calipers increased

pad-to-rotor contact by about 40 percent. As an option, Porsche Ceramic Composite Brakes (PCCB) with carbon-ceramic brake rotors was available for the first time in the GT3, taken from the 996-generation 911 GT2.

Based on the 997-generation of 911, a new 911 GT3 model was unveiled in 2006. Still powered by a 3.6 liter naturally-aspirated flat six, horsepower now crossed the 400 threshold, rising to 415. The engine was now capable of revving to 8,400 rpm. The 2007 911 GT3 sprinted from 0 to 60 mph in 4.1 seconds and reached a top track speed of 193 miles per hour. The six-speed transmission offered 15 percent shorter shift throws and a reduction of ratios for gears two through six, pairing well to power delivery of the engine. To make full use of the increase in power, the suspension was enhanced with divided control arms offering greater adjustment of camber angle. Additionally, Porsche Active Suspension Management (PASM) was offered as standard for the first time on the GT3, providing the capability of electronically adjusting the dampers. Wheel diameters grew to 19-inches, the size of the standard rear cast iron brake rotors increased to 350 mm, the optional PCCB rotors grew to 380 mm at the front axle and Ultra-High Performance tires (UHP) were mounted to further increase grip.

The type 997 became the first 911 GT3 model to be equipped with a traction control system (TC), which complemented the standard limited slip differential by giving the driver greater control, particularly on slippery surfaces. The car was also fitted with a "SPORT" button for the first time, reducing backpressure in the exhaust and put the traction control system in a more dynamic mode. In spite of the added technology and safety equipment such as new Sport Seats with side airbags, the car tipped the scales at just 3,075 lb (1395 kg). The weight savings came as a result of new aluminum doors and luggage compartment lid. The 911 GT3 of the 997-generation was characterized by new styling, with cues such as the air outlet in front of the luggage compartment lid designed to extract air from the front center radiator and increase downforce at the front axle. This was also the first model to feature center-mounted tailpipes for the exhaust. The interior offered new features such as a steering wheel, hand brake lever and gearshift lever covered with Alcantara.

For the 2010 model year, the 911 GT3 received not only a visual update as part of the face lifted 997-generation, but also a number of significant technical changes. For the first time, the engine displacement of the race-derived flat-six engine was no longer 3.6, but 3.8 liters. 435 horsepower and 317 lb-ft of torque propelled the new model from 0 to 60 mph in 4.0-seconds flat and on to a top track speed of 194 mph while reaching engine speeds of up to 8,500 rpm. The 911 GT3 of this generation featured even more technology directly adopted from motorsport, such as the new center lock hubs for the 19-inch wheels, which increased driving performance with lower rotating masses. At the same time, electronic stability control (ESC) complemented the traction control system introduced on the previous model, adding another layer of control for the driver. An optional front axle lift system was introduced for the first time, offering an additional 1.2 inches (30 mm) of ride height at the front axle to clear driveways and speed bumps. Ultimately, the most impressive trait of this 911 GT3 was its increased track performance. With the latest generation of UHP-tires and PASM calibration as well as optional dynamic engine mounts, it lapped the Nürburgring-Nordschleife in just seven-minutes and 40-seconds.

Introduced in 2013 for the 2014 model year, the 911 GT3 based on the newly introduced 991-generation adopted one of the biggest advancements in performance and technology ever seen on a road car: the seven-speed Porsche dual-clutch transmission (PDK). PDK had been available on the 911 Carrera and Turbo variants of the previous generation, but was significantly modified to suit the characteristics of this race-bred model and fitted as standard. Lighter gear sets reduced the weight of the unit by approximately four pounds compared to the standard 911 Carrera models, and the gear ratios were shortened to suit the high-revving nature of the naturally-aspirated 475 hp 3.8 liter flat-six which featured direct fuel injection for the first time and revved to an impressive 9,000 rpm. Top track speed was 195 mph, reached in seventh gear. Due to the Launch Control feature and lightning quick shifts of less than 100 milliseconds, the 0 to 60 mph time dropped significantly to just 3.3 seconds. The track performance of this latest 911 GT3 also benefited from the new 991 platform. Track widths and body stiffness increased, PASM system advanced, and standard center-lock wheels were made of forged aluminum for the first time while increasing to 20-inch diameter. They were fitted with the latest generation of UHP-tires, and rear axle steering was added as standard for the first time on the GT3. This innovative technology, shared with the 918 Spyder and 911 Turbo, steered the rear wheels in opposite direction of the front wheels at speeds of up to 31 mph to increase agility and reduce the turning circle. Over 50 mph, the system steered the rear wheels in tandem with the front wheels to promote stability, for example during a lane change at higher speeds. The size of the cast iron brake rotors grew to 380 mm front and rear, while the optional PCCB system, now in its third generation, featured 410 mm rotors up front and 390 mm rotors at the rear. Despite the significant increase in technology, the latest 911 GT3 still proved to be a lightweight at 3,153 lbs. Equipped with all these enhancements, and clad in a new body that provided a significant increase in downforce compared to the 997-generation models, the 2014 911 GT3 completed a lap of the Nürburgring-Nordschleife in seven-minutes, 25-seconds.

7:12.7: The lap time of the current 911 GT3 represents roughly 45-seconds of improvement at the 'Ring compared to the original model. The new 4.0-liter engine develops 500 hp and a healthy 346 lb-ft of torque. A new crankshaft, larger main bearings, thicker connecting rod bearings, plasma-coated cylinder liners as well as a new oiling system that supplies oil directly into the feeder bore of the crankshaft take the durability of the engine to new heights. Like on a racing powertrain, valve train clearance is set at the factory using shims and does not require adjustment. Breathing of the engine is improved thanks to larger ram air ducts on top of the rear decklid cover. Downforce grows 20-percent compared to the previous model to a total of 340 lbs. (155 kg) at the top track speed of 198 mph. This improvement is made possible by a new front fascia featuring lateral air blades, a special front spoiler lip, a new rear underbody diffuser and a prominent rear wing which sits 0.8 inches higher than before. Special lightweight touches include front and rear fasciae made of lightweight polyurethane and a rear decklid made of carbon fiber composite, including the hinges. Catering to the purists, a six-speed manual transmission was re-introduced as a no-cost alternative to the standard seven-speed PDK. This is also the exclusive transmission for the 911 GT3 with Touring Package, which was first shown in September 2017. The Touring Package retains the engine and suspension from the 911 GT3 but deletes the fixed rear wing in favor of an automatically controlled rear spoiler from the 911 Carrera Cabriolet models, fitted with an additional Gurney flap. Chrome accents and cloth seat inserts replacing the Alcantara upholstery lend a more subdued touch to the model.

More capable and diverse than ever before, the 911 GT3 represents the beating heart of Porsche's commitment to building pure, uncompromised sports cars.

MEDIA ENQUIRIES



Frank Wiesmann - Motorsports and Brand Heritage

Manager, Product Communications
770-290-3414
frank.wiesmann@porsche.us

Link Collection

Link to this article

https://newsroom.porsche.com/en_US/motorsport/porsche-motorsport-weekly-august-12-2019-18391.html

Media Package

<https://pmdb.porsche.de/newsroomzips/395bc66f-b02a-4aa1-89b7-ce1f676679c8.zip>